



PHILIPS

Phototherapy lamps

Your skin, our care

Not applicable for US. US customers are referred to the following brochure:
UVA and UVB lamp range brochure US version

A close-up, high-resolution portrait of a woman's face, focusing on her eyes, nose, and lips. She has dark hair and is looking directly at the camera with a neutral expression. The lighting is soft and even, highlighting the texture of her skin.

Established technology for **Phototherapy**


As the world's largest manufacturer of lighting products, Philips has applied its knowledge and experience to design a comprehensive range of highly effective lamps suitable to be used in Phototherapy systems lamps. These have been developed and tested in close cooperation with universities and clinics around the world. Insist on Phototherapy systems containing Philips lamps.

Philips UVB Narrowband (/01) Phototherapy lamps

More than 400 independent clinical studies have proven that the UVB Narrowband treatment is safer and more effective than any other treatment in its class. Lamps installed in such phototherapy treatment systems emit only a very narrow waveband from the 'B' bandwidth of the UV spectrum (290 to 315). Philips offers UVB Narrowband lamps (/01) with a waveband of between 305 and 315 nm which peaks at 311 nm. This makes these lamps very suitable for Clinical and Home UV-B Narrowband phototherapy systems which treat skin diseases such as psoriasis and vitiligo

Applications:

- Psoriasis
- Parapsoriasis
- Vitiligo
- Atopic Dermatitis
- Mycosis fungoides
- Other skin diseases



Philips TL with RDC cap (R17d)



Philips TL with bi-pin cap (G13)



Philips PL-S 9W (G23)



Philips PL-L 36W (2G11)

Features

Emission peak at 311nm

Narrowband

World wide tested in more than 400 clinical tests

Benefits

Minimum potential side effects like redness and itching


Shorter period of exposure and less erythema radiation than conventional UVB lamps

Proven technology

Philips UVB Narrowband (/01) Phototherapy lamps

Lamp type	Output UVB (W)	Lamp Voltage	Lamp Current	Cap/base	Packaging Configuration MOQ	Product code	Order code (EU)
Philips UVB Narrowband PL-S 9W/01	1.2	60	0.17	G23	6x10 Box	927901700121	86891680
Philips UVB Narrowband PL-L 36W/01	5.6	106	0.43	2G11	25	927903400121	86889340
Philips UVB Narrowband TL 20W/01	3.3	59	0.37	G13	25	928010000130	96662373
Philips UVB Narrowband TL 40W/01	8.5	104	0.43	G13	25	928011300130	96662397
Philips UVB Narrowband TL 100W/01	19.5	126	0.97	RDC (R17d)	10	928034900130	96662335
Philips UVB Narrowband FS72 100W/01	19.5	126	0.97	RDC (R17d)	25	927978500130	96662359
Philips UVB Narrowband TL 120W/01	20.0	132	1.11	G13	25	928035200101	26483140

N.B.: Our UVB lamps are NOT registered with FDA as medical devices as they are NOT packaged or labeled for commercial distribution for health-related purposes. US customers are referred to the UVA and UVB lamp range brochure US version.

A close-up photograph of a person's face and hand. The person has light-colored hair and is resting their head on their hand, with their fingers spread across their neck. The background is a soft, out-of-focus skin tone. The text is overlaid on the lower left portion of the image.

Optimum **operation** conditions

We advise to warm the lamp at least 2 minutes to get stable output power. This is particularly important in case of short time irradiation.

We advise replace the lamps at indicated useful life for optimum UV radiation. Useful life is typically reached at 30-50% depreciation of output (depending on type).

We advise a burning-in time for new UV lamps of at least one hour to avoid the initial high UV output of the lamps and to allow uniform radiation over the lamp length.


Philips UVB Broadband (/12)

Phototherapy lamps

The UVB Broadband lamps emit radiation in the full 'B' bandwidth of the UV spectrum (280-320 nm) and are therefore suitable for phototherapy systems designed to treat skin diseases such as psoriasis.

Applications:

- Psoriasis
- Parapsoriasis
- Vitiligo
- Atopic Dermatitis
- Mycosis fungoides
- Other skin diseases



Philips TL with RDC cap (R17d)



Philips TL with bi-pin cap (G13)



Philips PL-S 9W (G23)

Features

Emission range from 280-350 nm

Benefits

Can be administered with or without photosensitizing agent

Philips UVB Narrowband (/01) Phototherapy lamps

Lamp type	Output UVB (W)	Lamp Voltage	Lamp Current	Cap/base	Packaging Configuration MOQ	Product code	Order code (EU)
Philips UVB Broadband TL 20W/12	2.4	59	0.37	G13	25	928010001230	96662434
Philips UVB Broadband TL 40W/12	6.3	104	0.43	G13	25	928011301230	96662458
Philips UVB Broadband TL 100W/12	14.3	126	0.97	RDC (R17d)	25	928034901230	96662410



Protective **measures**

As with natural sunlight, UV-therapy increases the risk of skin cancer, can cause erythema (sunburn), conjunctivitis (snow blindness) and cataract of the eye.

Chronic blue light exposure can damage the retina. Patients should always wear protective eye-wear. Therapy equipment must be screened off to ensure safe operation by service personnel.

Phototherapy equipment must be provided with a timer in order to control the UV dose.

Philips UVB therapy lamps (/01 and /12) are sold through distributors who agree to sell these lamps only for regulated phototherapy system.

The lamps should only be used for the treatment of Psoriasis under doctor supervision.


Philips UVA (/09)

Phototherapy lamps (PUVA)

Some patients do not respond to UVB treatment. In these cases UV lamp with an 'A' bandwidth of the UV spectrum is used. This (PUVA) lamp has a wavelength of 315 to 380 nm and is in addition to the treatment of psoriasis also commonly used for more than 20 other diseases. Philips offers UVA lamps in TL, PL-S and PL-L versions suitable to be used in Phototherapy systems treating with such wavelength.

Applications:

- Psoriasis
- Parapsoriasis
- Vitiligo
- Atopic Dermatitis
- Mycosis fungoides



Philips TL with bi-pin cap (G13)



Philips PL-S 9W (G23)



Philips PL-L 36W (2G11)

Features

Emission peak at 350 nm

Benefits

Optimal spectrum for PUVA therapy

Philips UVA (/09) Phototherapy lamps

Lamp type	Output UVA (W)	Lamp Voltage	Lamp Current	Cap/base	Packaging Configuration MOQ	Product code	Order code (EU)
Philips PL-L UVA 36W	8.0	106	0.435	2G11	25	927903400907	61410040
Philips TL UVA 100W	28.5	125	0.94	G13	25	928004320930	66624960




Philips UVA-1 (/10)

Phototherapy lamps

For some conditions and some patients UVA-1 is a better spectrum, particularly for treatment of eczema. Philips offers UVA-1 lamps in TL, PL-S and PL-L versions.

Applications:

- Atopic dermatitis
- Mycosis fungoides



Philips TL with bi-pin cap (G13)



Philips PL-S 9W (G23)



Philips PL-L 36W (2G11)

Features

Emission peak at 368 nm

Benefits

Less erythema

Philips UVA-1 (/10) Phototherapy lamps

Lamp type	Output UVA (W)	Lamp Voltage	Lamp Current	Cap/ base	Packaging Configuration MOQ	Product code	Order code (EU)
Philips PL-S 9W UVA-1	1.95	60	0.17	G13	6x10 box	928001721014	92988100



Philips Jaundice (/52)

Phototherapy lamps

By emitting light almost entirely within the 400 to 500 nm bandwidth and peaking at 450 nm, Philips /52 lamps have no radiation from the short wave UVB waveband. They are therefore very suitable to be used in Phototherapy systems treating new born babies suffering from hyperbilirubinemia (neonatal jaundice) and Crigler-Najjar Syndrome (CNS). This highly efficacious phototherapy treatment has eliminated the need for blood transfusions in almost all jaundiced infants

Applications:

- Medical treatment of jaundice in new-born babies (hyperbilirubinemia)
- Crigler - Najjar (CN) syndrome




Philips TL-D (G13)



Philips TL with bi-pin cap (G13)



Philips PL-S 9W (2G11)



Philips PL-L 18W/52/4P (2G11)

Features

Emission peak at 450 nm

Benefits

Optimal spectrum for photo-oxidative process to convert unconjugated bilirubin into a watersoluble form

Philips Jaundice (/52) Phototherapy lamps

Lamp type	Output (lm)	Lamp Voltage	Lamp Current	Cap/base	Packaging Configuration MOQ	Product code	Order code (EU)
Philips PL-L 18W/52	360	57	0.375	2G11	25	927904105206	80517800
Philips TL 20W/52	340	59	0.37	G13	25	928003505203	64302540
Philips TL-D 18W/52	395	59	0.36	G13	25	928048005211	83485700
Philips PL-S 9W/52	130	60	0.17	G13	6x10 box	927901705203	64471880


Product dimensions

Lamp type	A max	B min	C max	D max	D1 max
Philips PL-S 9W	128.8	144.5	167.0	28.0	13.0

Dimensions in mm



Philips PL-S 9W




Philips PL-S 9W

Lamp type	A max	B min	C max	D max	D1 max
Philips PL-L 36W	384.2	410.0	416.6	39.0	18.0



Philips PL-L 36W




Philips PL-L 36W

Lamp type	A max	B min	C max	D max	D1 max
Philips UV PL-L 18W/52 4P	188.2	214.0	220.6	39.0	18.0



Philips PL-L 18W/52/4P



Philips 18W/52/4P

Product dimensions

Lamp type	A max	B min	B max	C max	D max
UVB Narrowband (/01) Phototherapy lamps					
Philips TL 20W/01	589.8	594.5	596.9	604	40.5
Philips TL 40W/01	1199.4	1204.1	1206.5	1213.6	40.5
Philips TL 100W/01 RDC	1763.8	1768.5	1770.9	1782.2	40.5
Philips TL 100W/01-F72 RDC	1755.7	1760.4	1762.8	1774.6	40.5
Philips TL 120W/01	2000	2004.7	2007.1	2014.2	40.5

Lamp type	A max	B min	B max	C max	D max
UVB Broadband (/12) Phototherapy lamps					
Philips TL 20W/12	589.8	594.5	596.9	604	40.5
Philips TL 40W/12	1199.4	1204.1	1206.5	1213.6	40.5
Philips TL 100W/12 RDC	1763.8	1768.5	1770.9	1782.2	40.5

Lamp type	A max	B min	B max	C max	D max
Jaundice (/52) Phototherapy lamps					
Philips TL 20W/52	589.8	594.5	596.9	604	40.5
Philips TLD 18W/52	589.8	594.5	596.9	604	28


Lamp type	A max	B min	B max	C max	D max
UVA (/09) Phototherapy lamps					
Philips PL-L UV-A 36W	384.2	410.0	416.6	39.0	18.0
Philips TL UVA 100W	1763.8	1768.5	1770.9	1782.2	40.5

Lamp type	A max	B min	B max	C max	D max
UVA 1(/10) Phototherapy lamps					
Philips PL-S 9W UVA-1	128.8	144.5	167.0	28.0	13.0

Note: For (/09), Philips also has other lamp wattages commercially available and can be provided on request for manufacturers or for trial purposes.



Philips TL-D (G13)




Philips TL-D (G13)




Philips TL with RDC cap (R17d)




Philips TL with bi-pin cap (G13)



Dimensions with RDC cap (R17d)



Philips PL-L 36W



Philips PL-S 9W

www.philips.com/phototherapy

ASEAN

622 Lorong 1 Toa Payoh
Level 4, Singapore 319763
Tel: +8008523328

Australia

Philips House, 65 Epping Road
North Ryde NSW, 2113
Tel: +61 2 9947 0299
Sales desk: 1300 304 404

Hong Kong

20F, Tower 2, Enterprise Square Phase I,
9 Sheung Yuet Road,
Kowloon Bay
HongKong
Tel: +852 25962600

Benelux

Boschdijk 525 – Bld. VB5-290
5621 JG Eindhoven
Postbus 90050
5600 PB Eindhoven
The Netherlands
Tel: + 31 40 27 84672

Canada

281 Hillmount Road
Markham
Ontario L6C 2S3
Tel: +1 905 201 4500

China

Philips (China) Investment Co., Ltd
Philips Special Lighting department
Building 1, Shanghai Business Park Phase III-5,
No. 2555 Hechuan Road,
Minhang District,
Shanghai 2000233
Tel: +86 (21) 34147300

France

Division Eclairage
33, Rue de Verdun
BP 313
92156 Suresnes Cedex
Tel: +33 (1) 57 32 82 10

Germany

Lübeckertordamm 5
D-20099 Hamburg
Tel: +49 17 133 739 79

India

Philips Electronics India Ltd.
9th Floor; 9-B; DLF Cyber City
DLF Phase 3
Gurgaon
Haryana, 122002
Tel: +91 124 460 6000

Italy

Viale Sarca 235
20126, Milano
Tel: +39 039 02 91946 1

Japan

Philips Electronics Japan, Ltd.
7-9-5, Nishi Gotanda,
Shinagawa-ku,
Tokyo, 141-0031, Japan.
Tel: +81-3-6478-2395.

Korea

Philips Electronics Korea Ltd.
260-199, Itaewon-dong
Yongsan-Gu
Seoul 140-200
Tel: +82 2 709 1345/1357

Norway

Innspurten 15
NO-0663 Oslo
Tel: +47 22 74 82 02

Poland

UL. Kossaka 150
64-920 Pila
Poland
Tel: +48 67 352 45 72 or
+48 602 694 337

Portugal

Contact via Spain

Russia

Usacheva str 35 A
119048 Moscow
Tel +7 495 937 9350

Spain / Portugal

Philips Iberica S.A.
Division Comercial de Alumbrado
Maria de Portugal 1
28050 Madrid
Tel: +34 91 566 97 64

Sweden

Knarrarnasgatan 7
Kista
S-16485 Stockholm
Tel +46 8 5985 2000

Taiwan

14F, No.3-1, Yuan Qu Street
Nan Gang District,
Taipei 115, Taiwan, R.O.C.
Tel: +886 2 3789 2554

Ukraine

Mykoly Grinchenka str., 4,
Horizon Park Business Center,
Building #2, Floor 3
03038, Kyiv, Ukraine
Tel: +380 44 499-59-75

United Kingdom

Philips Centre
Guilford Business Park
Guilford, Surrey GU2 8XH
Tel: +44 8456 011283



© 2019 Signify Holding. All rights reserved. The information provided herein is subject to change, without notice. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify.

Philips and the Philips Shield Emblem are registered trademarks of Koninklijke Philips N.V. All other trademarks are owned by Signify Holding or their respective owners.

<http://www.philips.com/installer>